CAPITAL
STOVES

LEADING SUPPLIER OF LUXURY STOVES

BRITISH COMPANY
EST. OVER 30 YEARS

WOOD • MULTI-FUEL • GAS • ELECTRIC • ACCESSORIES

ECO2022 Stoves

DEFRA, the Department of the Environment, Food and Rural Affairs, included wood burning stoves in their 2019 Clean Air Strategy. The strategy aims to reduce the amount of harmful emissions that affect air quality by ensuring stove manufacturers improve the performance and efficiency of their stoves.

In January 2022 the law was amended to state that all solid fuel appliances sold must be Eco Design Compliant. To be Eco Design Compliant, stoves must show significantly improved emissions when compared to older stoves or open fires.

All Capital Eco 2022 stoves have been tested in an independently approved test house and have achieved the requirements of Eco Design Regulations. Registration has also been made with HETAS (a national organisation working for consumer safety and the wider public interest in safe, efficient and environmentally responsible use of biomass and other solid fuels) and DEFRA.

A requirement of Eco Design Regulations is that all gas and multi fuel appliances must display an energy rating. We are delighted to confirm all Capital Eco 2022 Ready Stoves have A or A+ ratings.

At Capital, we launched our first range of fully compliant Eco 2022 Ready Stoves in 2018. We were proud to do this knowing we were one of the first companies to have stoves that were already achieving the necessary standards.

Our multi-fuel and wood burning stoves are all Eco 2022 compliant and Clear Skies certified in addition to being registered with HETAS and DEFRA. These stoves not only reduce the level of harmful air pollutants, but they also run more efficiently using less fuel, so will cost less to operate.

Improving our carbon footprint is a key part of our business philosophy. Vital to that strategy is the continued development of our Eco 2022 stove range and our partnership with the National Forest, please see pages 4 and 5 for more information.

clearSkies
clearskiesmark.org

HETAS

defra

ECO DESIGN READY STOVE

10 YEAR OLD STOVE

OPEN FIRE

Contents

Eco Design Ready Stoves

Traditional

Avebury	6-7
Bassington Compact	8-9
Bassington	10-11
Bassington Baseline	12-13
Bassington Canopy	14-15
Bassington Grande	16-17
Bassington Skirted	18-19
Ridgmont 5	20-21
Scene	22-23
Sigma	24-25
Sigma Canopy	26-27
Vega Edge 200SL	28-29
Woodrow 4	30-31
Woodrow 5	32-33
Woodrow 5 Quad	34-35

Contemporary

Holsworthy	36-37
Panamera	38-41
Verena	42-43

Inset Stoves

Savona (Inset)	44-45
Redbourn (Inset) NEW	46-47

Gas Stoves

Athena Gas	48-49
Avebury Gas	50-51
Bassington Gas	52-53
Bassington Compact Gas	54-55
Kirkham Gas	56-57

Electric

Blackthorn Electric	58-59
Mulberry Electric NEW	60-61
SLE42s Electric	62-63
Elegance Electric NEW	64-65
SLE25i Electric	66-67

Accessories

Glass Hearths	68-69
Stove Chambers	70-75
Chamber Trim Kits	76-77
Geocast® Beams	78-79
Tiled Hearths	80-83
Farmhouse Stone Hearths	84
Brazilian Slate Hearths	85

Make your mark. Plant a tree.

We are proud to support one of Britain's largest environmental projects at the heart of our country.

Since 2019, Capital Fireplaces has been in partnership with the National Forest, supporting their initiative to grow a healthier, happier Britain.

Covering 200 square miles of Leicestershire, Derbyshire, and Staffordshire, the National Forest is a mixed habitat forest that has breathed new life into the landscape. Regenerating this vast woodland is creating important wildlife habitats and building a more sustainable future for the next generation. Over 9 million trees have been planted in the last 30 years, increasing the region's woodland cover from only 6% to an impressive 22%, twice the national average.

For every Capital Eco Stove that is purchased, you are helping to grow the National Forest and create woodland habitats that will benefit people and wildlife for years to come.

For more information about the National Forest please visit www.nationalforest.org

Growing the future. Together.

Avebury Eco

Eco 2022 Multi-fuel Stove

The defining feature of the Avebury Eco stove is the large, arched glass window which is perfect for maintaining an optimal view of the flames. Subtle detailing to the door, body and legs creates an interesting and traditional aesthetic.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Outside Air Kit Available: No

Construction: Cast Iron

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Bassington Compact

Eco 2022 Multi-fuel Stove

The Bassington Compact is perfectly designed to suit smaller rooms and fireplace openings. Available with Standard, Skirted or Baseline legs, the Bassington Compact can be styled to complement contemporary or traditional spaces.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel
Nominal Heat Output: 5kW
Efficiency: Up to 82%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: No
Outside Air Kit Available: No
Construction: Cast Iron
Clearance to Combustibles: 600mm*
Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Bassington Eco

Eco 2022 Multi-fuel Stove

The Bassington Eco features a large glass window, fully optimising the viewing experience. The splayed leg set creates a more traditional appearance without compromising the contemporary feel of this stove.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

***Recommended #1 Best Wood Burning Stove** - Article written February 2020 by the Daily Telegraph

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Outside Air Kit Available: No

Construction: Cast Iron

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Oxford Grey Enamel

NO.1
RECOMMENDED
BEST STOVE*

A+

Warm White Enamel

Bassington Eco Baseline

Eco 2022 Multi-fuel Stove

The Bassington Eco Baseline features a large glass window, fully optimising the viewing experience. The sturdy Baseline leg set brings a contemporary edge to the overall design of this stylish stove.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: No

Outside Air Kit Available: No

Construction: Cast Iron

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



A+

Warm White Enamel

Baseline Legs

Bassington Eco Canopy

Eco 2022 Multi-fuel Stove

The Bassington Eco Canopy is reviving traditional stove design by giving it a modern edge, achieved by combining clean lines and classic design. The canopy can be retrofitted onto your existing Bassington Eco stove to create a whole new look.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes**

Outside Air Kit Available: No

Construction: Cast Iron (Stove) & Steel (Canopy)

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information

**Baseline version not suitable for use with Light Duty Hearth



Standard Legs

A+

Skirted Legs

THE NATIONAL FOREST
lifetime
warranty

Bassington Eco Grande

Eco 2022 Multi-fuel Stove

The Bassington Eco Grande features a contemporary and stylish log store, elevating the large glass window and creating an immersive user experience. The log store provides a functional element, allowing you easy access to logs for re-fuelling.

Fuel Type: Multi-fuel
Nom. Heat Output & Range: 5kW (2.5-8kW)
Efficiency: Up to 84%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Outside Air Kit Available: No
Construction: Cast Iron
Clearance: Combustibles: 600mm* / Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Bassington Eco Skirted

Eco 2022 Multi-fuel Stove

The Bassington Eco Skirted features a large glass window, fully optimising the viewing experience. The Skirted leg set creates a vintage 'French Provincial' aesthetic, perfect for homes with character and rustic charm.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Outside Air Kit Available: No

Construction: Cast Iron

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Warm White Enamel

THE NATIONAL FOREST
lifetime warranty
outside air kit available

Ridgmont 5 Eco

Eco 2022 Wood Only Stove

The Ridgmont 5 Eco has been designed with subtle details featuring clean lines, a large window and splayed legs. The result is a well-balanced stove that will complement both contemporary and traditional living spaces.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Wood Only
Nominal Heat Output: 5kW
Efficiency: Up to 83%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Outside Air Kit Available: Yes
Construction: Cast Iron & Steel
Clearance to Combustibles: 200mm (Rear) & 400mm (Sides)*
Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Scene Eco

Eco 2022 Multi-fuel Stove

The defining features of the Scene Eco stove are the large glass window and circular primary air control. The overall simplicity of this design is what gives this stove a seamless and sleek finish, perfect for more contemporary spaces.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Outside Air Kit Available: No

Construction: Cast Iron

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information





Sigma Eco

Eco 2022 Multi-fuel Stove

The Sigma Eco embodies traditional, featuring an arched glass window and classic detailing. In addition to the circular primary air control, all the elements have been designed with smooth, curved edges which soften the overall appearance.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Outside Air Kit Available: No

Construction: Cast Iron

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Sigma Eco Canopy

Eco 2022 Multi-fuel Stove

The Sigma Eco Canopy is reminiscent of traditional stove design. The canopy brings character and charm, complementing the vintage aspects of the stove and can be retrofitted onto your existing Sigma Eco for a whole new look.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nominal Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Outside Air Kit Available: No

Construction: Cast Iron (Stove) & Steel (Canopy)

Clearance to Combustibles: 600mm* / Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



THE NATIONAL FOREST
lifetime warranty
A+

Vega Edge 200SL Eco

Eco 2022 Multi-fuel Stove

The Vega Edge 200SL takes inspiration from elements of Scandinavian design. With the addition of a stylish contrasting silver handle and air wash control, the Vega Edge 200SL is a charming stove that will complement any living space.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Multi-fuel

Nom. Heat Output & Range: 5kW (2.5-8kW)

Efficiency: Up to 84%

Flue Exit: Top or Rear

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Outside Air Kit Available: No

Construction: Cast Iron

Clearance to Combustibles: 600mm*

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Warm White Enamel (Special Order)

Woodrow 4 Eco

Eco 2022 Wood Only Stove

The Woodrow 4 has been perfectly designed to suit narrow fireplace openings or smaller spaces including boats, cabins or garden offices. This stove is incredibly versatile thanks to its compact, neat and simplistic design.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Wood Only

Nom. Heat Output: 4kW

Efficiency: Up to 77%

Flue Exit: Top

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: No

Outside Air Kit Available: Yes

Construction: Cast Iron & Steel

Clearance to Combustibles: 400mm
(Rear & Sides*)

Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Designed for smaller spaces

A

Woodrow 5 Eco

Eco 2022 Wood Only Stove

The Woodrow 5 is incredibly versatile thanks to its neat and simplistic design. The main feature of this modest stove is the large glass window, designed to draw attention to the flames and create an immersive experience for users.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Wood Only
Nom. Heat Output: 5kW
Efficiency: Up to 83%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Outside Air Kit Available: Yes
Construction: Cast Iron & Steel
Clearance to Combustibles: 200mm (Rear)
400mm (Sides)*
Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



Woodrow 5 Eco Quad

Eco 2022 Wood Only Stove

Simplistic in design, the Woodrow 5 Eco Quad offers an immersive experience through the large glass window. The introduction of the quad leg set elevates the overall design and brings a fresh look to this stylish and versatile stove.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Wood Only
Nominal Heat Output: 5kW
Efficiency: Up to 83%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Outside Air Kit Available: Yes
Construction: Cast Iron & Steel
Clearance to Combustibles: 200mm (Rear) 400mm (Sides)*
Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information




THE NATIONAL FOREST
lifetime warranty
outside air kit available
A+

Holsworthy 5 Eco

Eco 2022 Wood Only Stove

Featuring a large window and built-in log store, the Holsworthy is contemporary and stylish. Not only is the Holsworthy visually stunning, the built-in log store provides a functional element, enabling you to keep your logs within reach for convenience. An Outside Air Kit is included as standard.

Fuel Type: Wood Only
Nominal Heat Output: 4.9kW
Efficiency: Up to 84%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Outside Air Kit Available: Yes (Included)
Construction: Steel
Clearance to Combustibles: 50mm (Rear) 250mm (Sides)*
Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



THE NATIONAL FOREST
lifetime warranty
outside air kit included
A+

Panamera Eco

Eco 2022 Wood Only Stove

The Panamera stove is contemporary and sleek, featuring a large curved glass door and steel constructed body. This modern stove is highly versatile, with two optional leg sets available to create three individual styles.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Wood Only
Nom. Heat Output: 4.9kW
Efficiency: Up to 84%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Light Duty Hearth: Only with Supreme Legs
Outside Air Kit Available: No
Construction: Steel
Clearance to Combustibles: 400mm (Top)
300mm (Sides)*
Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



A

THE NATIONAL FOREST
lifetime
warranty

A

Supreme Leg Set



Panamera (Prime Legs)



Panamera (Supreme Legs)

Verena Eco

Eco 2022 Wood Only Stove

The Verena Eco stove is sleek and compact with a stylish curved steel body and glass door. A great contemporary choice for smaller rooms and fireplaces, the Verena has a choice of two additional leg options for greater versatility.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Wood Only
Nom. Heat Output: 4.9kW
Efficiency: Up to 84%
Flue Exit: Top or Rear
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Light Duty Hearth: Only with Supreme Legs
Outside Air Kit Available: No
Construction: Steel
Clearance to Combustibles: 400mm (Top) 300mm (Sides)*
Clearance to Non-Combustibles: 50mm*

*Please refer to the installation instructions for more information



THE NATIONAL FOREST

lifetime warranty

A

Savona Eco

Eco 2022 Wood Only Stove

The Savona Eco is a contemporary and stylish inset stove with a large glass window. This stove is highly versatile, it can be installed into a traditional fireplace surround or as a hole-in-the-wall feature for a modern aesthetic.

DEFRA approved for burning wood in a smoke controlled area and supported by the Capital Stoves Lifetime Warranty.

Fuel Type: Wood Only

Nom. Heat Output: 4.9kW

Efficiency: Up to 76%

Flue Exit: Top (Angled)

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: No

Outside Air Kit Available: No

Construction: Steel

Clearance to Combustibles: Back of chamber must be non-combustible. 600mm (Sides)*

*Please refer to the installation instructions for more information



A

Savona with a 4 Sided Trim & Honed Granite Wall Frame

Redbourn Traditional Inset

Eco 2022 Wood Only

The Redbourn is a traditional inset stove featuring a large glass window for optimal viewing. Clean lines and simple detailing brings an understated elegance to the design of this stove. The built in frame is subtly curved, softening the outer edges to blend seamlessly with any choice of surround. The Redbourn is a great option if you want to maintain the aesthetic of a classic fireplace whilst benefitting from the efficiency of an Eco stove.

Fuel Type: Wood Only
Nom. Heat Output: 4.8kW
Efficiency: Up to 79%
Flue Exit: Top (Angled)
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: No
Outside Air Kit Available: No
Construction: Steel & Cast Iron
Clearance to Combustibles: 300mm (Sides) 400mm (Above)*

*Please refer to the installation instructions for more information



THE NATIONAL FOREST
lifetime warranty
NEW INSET STOVE
A

Athena Gas

Natural Gas Stove

The Athena is a new, stylish balanced flue gas stove that embodies cutting edge innovation and meticulous attention to detail. Featuring a subtly curved main body with stainless steel detailing, the Athena offers the ultimate immersive experience via its three large windows and reflective black glass rear panel. The hand decorated ceramic fuel bed is easily ignited at the touch of a button with an intuitive remote control. Simplicity of installation and maintenance are at the forefront of this design with multiple 'fitter friendly' features being introduced.

Fuel Type: Natural Gas

Nominal Heat Output: 4.5kW

Efficiency: 83%

Control: Remote Control

Flue Exit: Top

Balanced Flue Connection: 100mm (Outlet) 150mm (Inlet)

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Construction: Steel

Clearance to Combustibles: 50mm (Rear) 300mm (Sides) 250mm (Above)*

Clearance to Non-Combustibles: 50mm (Rear) 150mm (Sides) 150mm (Above)*

*Please refer to the installation instructions for more information



Avebury Gas

Natural Gas or LPG Stove

The defining feature of the Avebury Gas stove is the large, arched glass window which is perfect for maintaining an optimal view of the gas flames. Subtle detailing adds character and charm to the design of this stove.

The ultra-realistic ceramic log set enhances the visual appeal and preserves the authentic aesthetic.

Supported by a manufacturer's 2 year warranty.

Fuel Type: Natural Gas or LPG

Nom. Heat Output & Range: 4.7kW/4.4kW

Efficiency: Up to 79%

Control: Remote Control

Flue Exit: Top

Flue Size: 125mm

Ventilation: Not normally required (page 86)

Suitable for a Light Duty Hearth: Yes

Construction: Cast Iron

Clearance to Combustibles: 400mm*

Clearance to Non-Combustibles: 30mm (Rear) 160mm (Sides) 300mm (Above)*

*Please refer to the installation instructions for more information



Bassington Gas

Natural Gas or LPG Stove

The Bassington Gas stove features a large glass window and ultra-realistic ceramic log set, fully optimising the user experience. Offering two colour options (Black or Warm White Enamel) and three leg set options (Standard, Skirted or Baseline), the Bassington Gas stove is highly versatile and stylish. Supported by a manufacturer's 2 year warranty. Warranty excludes the finish on Warm White Enamel.

Fuel Type: Natural Gas or LPG
Nom. Heat Output & Range: 4.7kW/4.4kW
Efficiency: Up to 79%
Control: Remote Control
Flue Exit: Top
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Construction: Cast Iron
Clearance to Combustibles: 600mm*
Clearance to Non-Combustibles: 30mm (Rear) 160mm (Sides) 300mm (Above)*

*Please refer to the installation instructions for more information



Warm White Enamel

Bassington Compact Gas

Natural Gas or LPG Stove

The Bassington Compact Gas stove is perfectly designed to suit smaller rooms and fireplace openings. Available with Standard and Skirted leg options, the Bassington Compact Gas stove can be styled to complement contemporary or traditional spaces.

The ceramic log set is ultra-realistic and enhances the visual appeal through maintaining a lifelike aesthetic.

Supported by a manufacturer's 2 year warranty.

Fuel Type: Natural Gas or LPG
Nom. Heat Output & Range: 3.8kW/3.75kW
Efficiency: Up to 81%
Control: Remote Control
Flue Exit: Top
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Construction: Cast Iron
Clearance to Combustibles: 250mm (Rear) 250mm (Sides) 400mm (Above)*
Clearance to Non-Combustibles: 30mm (Rear) 160mm (Sides) 300mm (Above)*

*Please refer to the installation instructions for more information



Kirkham Gas

Natural Gas or LPG Stove

The Kirkham Gas stove is perfectly designed to suit smaller rooms and fireplace openings. The curved door with contrasting silver handle and primary air controller bring a modern edge to this stylish stove.

To enhance the authentic appearance and visual appeal, the Kirkham comes with an ultra-realistic ceramic log set.

Supported by a manufacturer's 2 year warranty.

Fuel Type: Natural Gas or LPG
Nom. Heat Output & Range: 3.8kW/3.75kW
Efficiency: Up to 81%
Control: Remote Control
Flue Exit: Top
Flue Size: 125mm
Ventilation: Not normally required (page 86)
Suitable for a Light Duty Hearth: Yes
Construction: Cast Iron
Clearance to Combustibles: 250mm (Rear) 250mm (Sides) 400mm (Above)*
Clearance to Non-Combustibles: 30mm (Rear) 160mm (Sides) 300mm (Above)*

*Please refer to the installation instructions for more information



Blackthorn Electric

The Blackthorn electric stove replicates the charm of a classic log burner, adding warmth and ambience to any room. With captivating flame patterns and a real log fuel bed, this stove is ideal for homes without a chimney or gas supply. As the Blackthorn is chimney-free, it can be placed virtually anywhere in your home offering versatility and longevity.

For those looking to achieve a more authentic look, we have introduced a NEW optional flue kit to complement all three colour variations (Black, Classic Cream and Shadow Grey). The electric stove flue kit includes 1 x 400mm length pipe, 1 x 90 degree bend and 2 x additional spigots for the stove top and wall.

Fuel Type: Electric
Output: 1 - 2kW
Control: Remote Control
Fuel Bed: Premium Real Logs
Finishes: Choose from Black, Classic Cream or Shadow Grey
Flame Effect: 16 Options
Dimmer: Yes
7 Day Timer: Yes
Thermostat: Yes
Optional Flue Kit Available: Yes



Classic Cream

Shadow Grey

NEW
ELECTRIC
STOVE
2 year
warranty
remote
controlled

Mulberry Electric

The Mulberry electric stove incorporates cutting-edge TrueFlame 3DX technology to produce an exceptionally realistic flame effect that mimics the allure of a traditional log burner, enhancing the warmth and atmosphere of any space. With mesmerising flame designs and an authentic log fuel bed, this stove is perfect for residences lacking a chimney or gas connection. Designed to be chimney-free, it can be situated almost anywhere in your home, providing flexibility and durability.

For those looking to achieve a more authentic look, we have introduced a NEW optional flue kit to complement the stove. The electric stove flue kit includes 1 x 400mm length pipe, 1 x 90 degree bend and 2 x additional spigots for the stove top and wall.

Fuel Type: Electric
Output: 1-2kW
Control: Remote Control
Fuel Bed: Premium Real Logs
Finishes: Black
Flame Effect: TrueFlame 3DX Log & Rotisserie
7 Day Timer: Yes
Thermostat: Yes
Optional Flue Kit Available: Yes

For dimensions, see Blackthorn on page 59.

Rotisserie

Trueflame 3DX Log

SLE42s Electric

The SLE42s is a stylish cylindrical electric stove with a pedestal base, adding height and presence to any room. Its clever design hides the heater grill, offering a sleek contemporary look. The three glass panels provide an unparalleled view of the realistic etronic 3D flame effect, complete with a premium real log or hand-decorated ceramic fuel bed.

Without the need for a chimney or flue, the SLE42s is versatile and can be placed anywhere in your home. For those looking to achieve a truly authentic look, we have introduced a NEW optional flue kit including 1 x 400mm length pipe, 1 x 90 degree bend and 2 x spigots for the stove top and wall. The flue kit for the SLE42s is supplied in black to match the colour of the stove.

Fuel Type: Electric

Output: 0.9kW - 1.8kW

Control: Remote Control

Fuel Bed: Premium Real Logs

Flame Effect: Adjustable

Suitable for a Light Duty Hearth: Yes

Dimmer: Yes

7 Day Timer: Yes

Thermostat: Yes

Optional Flue Kit Available: Yes



2 year warranty
remote controlled
Premium Real Log Fuel Bed

Elegance Electric

The Elegance is an elegantly designed cylindrical electric stove featuring a Black glass top, elongated tubular handle and pedestal base, which enhances the height and presence of any space. Its innovative design conceals the heater grill, resulting in a modern and streamlined appearance. The three glass panels offer an exceptional view of the lifelike TrueFlame 3DX flame effect, complemented by a high-quality real log fuel bed. Without requiring a chimney or flue, the Elegance is adaptable and can be positioned anywhere within your residence.

For those looking to achieve a truly authentic look, we have introduced a NEW optional flue kit including 1 x 400mm length pipe, 1 x 90 degree bend and 2 x spigots for the stove top and wall. The flue kit for the Elegance is supplied in black to match the colour of the stove.

Fuel Type: Electric

Output: 0.75kW - 1.5kW

Control: Remote Control

Fuel Bed: Premium Real Logs

Flame Effect: TrueFlame 3DX Log & Rotisserie

Suitable for a Light Duty Hearth: Yes

7 Day Timer: Yes

Thermostat: Yes

Optional Flue Kit Available: Yes



Rotisserie

Trueflame 3DX Log

SLE25i Electric

Stove Illumination Insert

The SLE25i is a compact log effect insert, designed to fit into a wood burning stove and mimic a glowing ember fuel bed. This new and innovative electric stove insert is highly versatile. By placing the SLE25i into your stove in the summer months, you can enjoy the aesthetic of your stove without actually burning fuel. Additionally, the SLE25i is USB powered (battery or mains), offering a convenient energy source. Providing a warm, flickering effect with its realistic log fuel bed, this insert is specifically engineered to fit in most 4-5 kW stoves, ensuring compatibility with a wide range of set-ups.

Fuel Bed: Log Effect

Heat Output: Effect Only

Control: Manual (with 8 hour automatic timer)



Depth: 180mm

The SLE25i electric stove insert is engineered to fit in most 4-5 kW stoves. Speak to your local fireplace retailer for further advice.

2 year
warranty

Light Duty Stove Glass Hearths

Our high quality, light duty 12mm thick tempered glass hearths are a contemporary alternative to traditional hearths.

Available in six shapes with an option of smoked or transparent finishes, these glass hearths perfectly complement our stove range.

CIRCULAR
1100mm x 1100mm



QUADRANT
1200mm x 1200mm



SEMI-CIRCLE
1100mm x 850mm

SQUARE
900mm x 900mm



TEAR DROP
1100mm x 1100mm



TRUNCATED
1100mm x 950mm



Stove Chambers

Our stove chambers are a stylish and convenient way to elevate your fireplace opening. Stove chambers are suitable to be used with a wide variety of appliances and fuels, making them hugely versatile. Whether you want to create a cosy country cottage vibe or are striving for a sleek and contemporary home, there is a huge range of designs to choose from.

Available in a wide range of styles and finishes, chambers are supplied in a convenient three piece set that will fit most standard fireplace openings. If you need something a bit smaller or a little larger, we offer a made to measure service too. Speak to your Capital Fireplaces retailer for more details.

NEW BRICK CHAMBERS FOR 2025

HONEY BLACK

NUT BLACK

MOCHA

VINTAGE ARCHITECTURAL
HOUSE BRICK*

VINTAGE ARCHITECTURAL
HOUSE BRICK HERRINGBONE*

BRAZILIAN SLATE CHAMBERS

ANTIQUE RIVEN SLATE

GRAPHITE RIVEN SLATE

GREY BRUSHED SLATE

BRICK CHAMBERS



COBBLED RED



RUSTIC

RUSTIC HERRINGBONE

RETURNS & ARCH
MADE TO ORDER

ANDALUSIA*

CHARCOAL GREY WATERFALL

COSMIC BLACK

DOVE GREY

FROSTED ICED GREY*

BRICK CHAMBERS

FROSTED ICED GREY HERRINGBONE*

GREY BRICK BOND*

GREY HERRINGBONE

LUME BLUE

LUCENA*

NAVARRA*

OLIVE WATERFALL

OYSTER SLATE

POMPEII

BRICK, STONE & SKAMOLEX CHAMBERS

RAINBOW

RIVEN SLATE

RUSTY SLATE

SILVER GREY

SUNSET RED*

URBAN DUSK*

URBAN DUSK HERRINGBONE*

ZAMORA*

CORINTHIAN STONE
(MADE TO MEASURE NOT AVAILABLE)

PORTUGUESE LIMESTONE
1X (1015W X 1000H) 2X (470W X 1000H)

SKAMOLEX FIREBOARD
PLAIN OR REEDED - 4X (610W X 1000H X 25 THICK)

CAST IRON REEDED
4X (380W X 915H X 7 THICK)

Technical Specification

Brick Chamber Dimensions (mm):
1x (1015 w x 1000 h x 30 thick) 2x (450 w x 1000 h x 30 thick)

***Brick Chamber Dimensions (mm):**
1x (1030 w x 1000 h x 30 thick) 2x (450 w x 1000 h x 30 thick)

Slate Chamber Dimensions (mm):
1x (1015 w x 1000 h x 25 thick) 2x (450 w x 1000 h x 25 thick)

Dove Grey Chamber Dimensions (mm):
1 x (950 w x 900 h x 35 thick) 2 x 450 w x 900 h x 35 thick)

Arched Chamber Dimensions (mm):
1 x (890 w x 920 h x 37 thick) 2 x (450 w x 920 h x 37 thick)
Brick Side Return Depth: 98mm
Arch: 980 w x 205 h x 98 return
Arch Opening: 740 w x 810 h (from floor level)

Made to Measure
Selected styles of chambers are available as made to measure on a POA basis. Please contact us for a quote.

Clearances
Minimum clearance distances apply, visit our website or refer to the installation instructions for more information.

All dimensions are provided in millimetres (mm).
Please allow + / - 10mm tolerance due to varying thicknesses of materials and the manufacturing process.
Please check individual chamber sizes with your retailer.

Please note that colours may vary to those pictured.

Chamber Trim Kits

A quick and easy way to finish off your fireplace chamber.

Equipped with magnetic corner pieces, these chamber trim kits simplify the trimming process while ensuring a secure fit. Available in Stainless Steel or Black, these trim kits effortlessly enhance the aesthetic appeal of any fireplace, offering practicality and ease of use.

1100mm (x3) x 40mm Face x 35mm Return

Black

Geocast® Beams

Our non-combustible Geocast® Beams have been developed from a natural, inorganic material that is extremely durable and non-combustible. Being non-toxic and heat resistant, Geocast® Beams offer more flexibility for installation requirements and added peace of mind.

The Geocast® Beam range has been designed and moulded to a high-definition specification, creating a truly authentic and realistic effect. Real wooden beams were used in the design process to ensure that we could create a likeness that was harmonious in colour, shape and texture to real wood.

Although minimum clearance distances to the stove still apply, Geocast® Beams allow installation distances to be much closer than real wood. Please refer to instructions on our website for further detail at **www.capitalfireplaces.co.uk/technical**

DELUXE GEOCAST® BEAM BRACKET

Compatible with any of our 48 inch and 54 inch length beams, this innovative new bracket allows you to install any Geocast® Beam on an uneven wall. Supplied with fixing brackets, bolts and a measuring guide, the Deluxe Geocast® beam bracket makes installation easy and efficient.

SEE ON PAGE 52

CLASSIC DARK OAK
36”, 42”, 48”, 54”

SEE ON PAGE 30

CLASSIC LIGHT OAK
36”, 42”, 48”, 54”

SEE ON PAGE 35

AMBIENT LIGHTING
48” & 54” CLASSIC BEAMS

SEE ON PAGE 24

RUSTIC DARK OAK
48”, 54”

SEE ON PAGE 9

RUSTIC NATURAL OAK
48”, 54”

SEE ON PAGE 6

HERITAGE NATURAL OAK
48”, 54”

SEE ON PAGE 54

CONTEMPORARY GREY OAK*
48”

SEE ON PAGE 22

CONTEMPORARY STONE
48”

SEE ON PAGE 12

AMERICAN DARK OAK
48”

*Contemporary grey oak is not Geocast®

Tiled Hearths

Our brand new selection of tiled hearths will bring charm and character to your fireplace, perfect for creating a cosy cottage or rustic farmhouse aesthetic. Available in four colours and two size options, these tiled hearths offer a stylish alternative to traditional granite or slate.

AVAILABLE SIZES:

48 x 12” (FRONT) + 36 x 16” (TONGUE) / 1213 x 305mm (FRONT) + 914 x 406mm (TONGUE)

56 x 12” (FRONT) + 36 x 16” (TONGUE) / 1422 x 305mm (FRONT) + 914mm x 406mm (TONGUE)

HIGHLAND RED

URBAN DUSK

STEEL GREY

ICED WHITE

HARLEQUIN (50” & 61”)

1270 X 381 (FRONT) + 950 X 450 (TONGUE)

1550 X 381 (FRONT) + 950 X 450 (TONGUE)

DIAMOND QUARRY RED (48” & 54”)

1225 X 381 (FRONT) + 950 X 450 (TONGUE)

1375 X 381 (FRONT) + 950 X 450 (TONGUE)

DIAMOND QUARRY WHITE (48” & 54”)

1225 X 381 (FRONT) + 950 X 450 (TONGUE)

1375 X 381 (FRONT) + 950 X 450 (TONGUE)

CUBE (47” & 55”)

1200 X 400 (FRONT) + 950 X 450 (TONGUE)

1400 X 400 (FRONT) + 950 X 450 (TONGUE)

NORSTAR BLACK (47” & 55”)

1200 X 400 (FRONT) + 950 X 450 (TONGUE)

1400 X 400 (FRONT) + 950 X 450 (TONGUE)

NORSTAR WHITE (47” & 55”)

1200 X 400 (FRONT) + 950 X 450 (TONGUE)

1400 X 400 (FRONT) + 950 X 450 (TONGUE)

STAR (47” & 55”)

1200 X 400 (FRONT) + 950 X 450 (TONGUE)

1400 X 400 (FRONT) + 950 X 450 (TONGUE)

LUME BLUE (49” & 54”)

1240 X 381 (FRONT) + 950 X 450 (TONGUE)

1370 X 381 (FRONT) + 950 X 450 (TONGUE)

Farmhouse Stone Hearths

Inspired by the allure of country-style decor and living, this natural stone radiates a warm and inviting ambience. Carefully honed with tumbled chiselled edges, it boasts a captivating blue-grey hue that evokes a rustic and timeless antique charm. Select from a range of size options for both front and back hearths, thoughtfully designed to cater to a variety of fireplace requirements.

Brazilian Slate Hearths

GRAPHITE RIVEN SLATE

ANTIQUE RIVEN SLATE

GREY BRUSHED SLATE

3 polished edges as standard unless otherwise stated. Flat nominal 20mm height.
Boxed & Lipped nominal 50mm height.

Technical Information

STOVE VENTILATION

Houses built before 2008: Houses built before 2008 are likely to have an air permeability greater than 5m3/h.m2 so stoves with an output below 5kW do not require an air vent. However, stoves with outputs above 5kW require a permanently open vent. So for each kW of output above 5kW allow 550mm2 of air supply. Extensive renovation of an older property carried out after 2008 may reduce the air permeability to less than 5m3, in which case the guidance for houses built after 2008 should be followed. Chimneys with flue stabilisers are subject to different ventilation requirements.

Houses built after 2008: Houses built after 2008 with an air permeability of less than 5m3/ h.m2 require the air supply to be calculated for the whole of the stove's rated output. This means that the installation of stoves with an output of less than 5kW must now have a permanently open air vent. Allow 550mm2 of air supply for each kilowatt of rated output. Seek advice from your retailer and building regulator.

CLEANBURN STOVES

To burn fuel in a smoke controlled area the law determines that either the fuel should be smokeless or the appliance should be approved by DEFRA (Department of the Environment, Food and Rural Affairs)normally these appliances are approved by DEFRA for burning kiln dried wood. Some of our DEFRA approved products are capable of burning both kiln dried wood and anthracite in smoke control areas, a dual fuel use that most cleanburn products cannot offer.

All Capital Stoves are CE approved to EN13240.
Please note many of the flue pipes shown in this brochure have been sprayed with one of Capital Fireplaces high temperature paints to match the finish of the stove.

THE BURNING IN PERIOD

All Capital Stoves are manufactured from cast iron or steel therefore it is vital that appliances undergo a period of "burning in", this involves small fires initially, gradually increasing in size with each firing. When purchasing a stove, please remember to adhere to the following important points; always read user instructions prior to initially using the stove, burn only anthracite or kiln dried wood as this will give you up to twice the heat output and help reduce tar build up in the flue, never burn household waste and do not overload the stove at any one time.

CHOOSING THE RIGHT FUEL

Please note choosing the right fuel for your stove or fireplace is vital to ensure a lifetime of enjoyable, trouble-free use. To burn fuel in a smoke controlled area, the law determines the fuel should be smokeless or the appliance should be approved by DEFRA. Therefore we would only recommend burning kiln dried wood or anthracite, any other fuel or objects such as household waste will produce harmful gasses subsequently reducing the performance of your appliance. To ensure you are sourcing and burning the correct fuels, visit www.readytoburn.org for more information.

Capital Fireplaces Ltd reserve the right to change specification or de-list products at any time. Due to the nature of the materials and appliances used within this brochure, actual finishes and colours may vary slightly. Flames shown may also vary depending on gas type, fuel quality and the performance of the flue or chimney, images in this brochure are for illustration purposes only.

Misplaced your Capital Stove manual?
No problem, digital copies can be found on our website www.capitalfireplaces.co.uk/technical-information

Lifetime Warranty

CAPITAL STOVE LIFETIME WARRANTY

All Capital multi fuel and wood burning stoves are covered by a lifetime warranty, unless otherwise stated, for added peace of mind (valid for original purchases only) from date of sale. This warranty excludes the following naturally wearing consumable items; door glass, firebricks, rope seals, baffle and grate (including riddling mechanism).

This warranty also excludes the "warm white enamel" finish on any of our stoves. Enamel finish products are inherently susceptible to crazing and chipping in the normal wear and tear of the product life.

In addition, the following criteria must be met:

- ✓ Sight of the data plate that should have been fitted by the approved installer.
- ✓ Proof of installation by HETAS or other approved body, or letter from Building Control confirming that the installation was installed in accordance with the Building Regulations.
- ✓ Proof of purchase from one of our approved suppliers.
- ✓ Proof of annual sweeping of chimney, at which time an inspection as to the condition of both the chimney and the stove should be carried out to allow for necessary maintenance to be performed.
- ✓ Only dry/seasoned wood with moisture content of less than 20% or Anthracite has been used.

Capital Fireplaces Ltd will accept no responsibility for installations which have been carried out that are not in accordance to the Building Regulations or if the conditions stated in the manufacturer's instructions are not adhered to. Warranty applies to parts only.

IMPORTANT POINTS

Always read user instructions prior to initially using the stove.
We recommend burning kiln dried wood, this will give you up to twice the heat output of freshly felled timber and helps reduce tar build up in the flue.
Do not overload the stove at any one time.
Never burn household rubbish as this can give off harmful gasses and will reduce the performance of the stove.

CAPITAL GAS STOVES WARRANTY

We offer a 2 Year warranty on our Gas Stoves. Year 1 includes parts and labour, year 2 includes parts only. Subject to conditions, for further details please visit www.capitalfireplaces.co.uk

CAPITAL ELECTRIC STOVES WARRANTY

We offer a 2 Year warranty on our Electric Stoves. Year 1 includes parts and labour, year 2 includes parts only. For further details, or to apply for our extended Platinum Warranty Plan, please visit www.solutionfires.co.uk/warranty

SCAN TO VIEW
FULL RANGE

CAPITAL
FIREPLACES

www.capitalfireplaces.co.uk